


Drawing dimensions "mm"

VIEW	TOLERANCE	
	0-10	±1
	11-250	±5
	251-500	±10
	501-1000	±20
	1001-3000	±50
UNIT: mm	3001-5000	±100
	5001- >	±150

FEMALE



ORDER CODE:

WP-47FF XX XXXX XX X

→ Color : B: Black

→ Cable : BM: UL20276 26 AWG O.D: 8.50 ±0.20mm

→ Length : L (mm)

→ FEMALE TO FEMALE

MOLDING METARIAL: PA6

CONDUCTOR: TINNED COPPER

INSULATION METARIAL: FM-PE+SKIN / HD-PE

JACKET METARIAL: MATT PVC

Date	02.12.2016	Rev.	-	Revision Detail		Rev.Dt.		Rev.by		Part No		
Designed by	Yeşim AKSOY									WP-47FF WATERPROOF HDMI CABLE FEMALE TO FEMALE		
Checked by	Fatih BOLACA											
										-	NONE	1/3

1

2

3

4

5


6

A4

Drawing dimensions "mm"

VIEW	TOLERANCE	
	0-10	±1
	11-250	±5
	251-500	±10
	501-1000	±20
	1001-3000	±50
UNIT: mm	3001-5000	±100
	5001- >	±150

MALE



ORDER CODE:

WP-47MM XX XXXX XX X


- Color : B: Black
- Cable : BM: UL20276 26 AWG O.D: 8.50 ±0.20mm
- Length : L (mm)
- MALE TO MALE

MOLDING METARIAL: PA6
 CONDUCTOR: TINNED COPPER
 INSULATION METARIAL: FM-PE+SKIN / HD-PE
 JACKET METARIAL: MATT PVC



Date	02.12.2016	Rev.	Revision Detail	Rev.Dt.	Rev.by	Part No		
Designed by	Yeşim AKSOY	-				WP-47MM WATERPROOF HDMI CABLE MALE TO MALE		
Checked by	Fatih BOLACA							
						Drawing Nr.	Scale	Sheet No
						-	NONE	2/3

Drawing dimensions "mm"

VIEW	TOLERANCE	
	0-10	±1
	11-250	±5
	251-500	±10
	501-1000	±20
	1001-3000	±50
UNIT: mm	3001-5000	±100
	5001- >	±150



FEMALE



MALE

ORDER CODE:

WP-47FM XX XXXX XX X

- Color : B: Black
- Cable : BM: UL20276 26 AWG O.D: 8.50 ±0.20mm
- Length : L (mm)
- FEMALE TO MALE

MOLDING METARIAL: PA6
 CONDUCTOR: TINNED COPPER
 INSULATION METARIAL: FM-PE+SKIN / HD-PE
 JACKET METARIAL: MATT PVC

Date	02.12.2016	Rev.	Revision Detail	Rev.Dt.	Rev.by	Part No		
Designed by	Yeşim AKSOY	-				WP-47FM WATERPROOF HDMI CABLE FEMALE TO MALE		
Checked by	Fatih BOLACA							
						Drawing Nr.	Scale	Sheet No
						-	NONE	3/3