


" Dimensions (mm) "

FEMALE



ORDER CODE:

WP-46FF XXXX XX X

→ Color : B: Black

→ Cable : BM: S-FTP CAT6A 26 AWG LSZH O.D: 6,0 ±0.2

→ Length : L (mm)


MOLDING METARIAL: PA6
Contract material: Silicon

Class E/Category 6 standards compliant
Molded RJ45 connectors
Electrically compliant beyond 250 Mhz
Connector connection material; 1,27µm (50 µ-inc) gold plated over 2,54µm (100 µ-inc) Nickel

RoHS compliant 2002/95/EC

Number of Conductors 4 Pair UTP
Number of insulated conductors 8 twisted per
Cable jacket type, MATT PVC
RJ-45 connectors available IEC 60603-7-41 terminated

Temperature Range: -20°C~ + 60°C
IP: IP67

| Date | 01.12.2016 | Rev. | Revision Detail | Rev.Dt. | Rev.by | Part No | | |
|---|--------------|------|-----------------|---------|--------|-------------|-------|----------|
| Designed by | Yeşim AKSOY | - | | | | WP-46FF | | |
| Checked by | Fatih BOLACA | | | | | | | |
|  | | | | | | Drawing Nr. | Scale | Sheet No |
| | | | | | | - | NONE | 1/3 |

1

2

3

4


5

6

A4

" Dimensions (mm) "

MALE



ORDER CODE:

WP-46MM

XXXX

XX

X

→ Color : B: Black

→ Cable : BM: S-FTP CAT6A 26 AWG LSZH O.D: 6,0 ±0.2

→ Length : L (mm)


MOLDING METARIAL: PA6
Contract material: Silicon

Class E/Category 6 standards compliant
Molded RJ45 connectors
Electrically compliant beyond 250 Mhz
Connector connection material; 1,27µm (50 µ-inc) gold plated over 2,54µm (100 µ-inc) Nickel

RoHS compliant 2002/95/EC

Number of Conductors 4 Pair UTP
Number of insulated conductors 8 twisted per
Cable jacket type, MATT PVC
RJ-45 connectors available IEC 60603-7-41 terminated

Temperature Range: -20°C~ + 60°C
IP: IP67

| Date | 01.12.2016 | Rev. | Revision Detail | Rev.Dt. | Rev.by | Part No | | |
|---|--------------|------|-----------------|---------|--------|-------------|-------|----------|
| Designed by | Yeşim AKSOY | - | | | | WP-46MM | | |
| Checked by | Fatih BOLACA | | | | | | | |
|  | | | | | | Drawing Nr. | Scale | Sheet No |
| | | | | | | - | NONE | 2/3 |

1

2

3

4

5


6

A4

" Dimensions (mm) "

FEMALE

MALE



ORDER CODE:

WP-46FM XXXX XX X

→ Color : B: Black

→ Cable : BM: S-FTP CAT6A 26 AWG LSZH O.D: 6,0 ±0.2

→ Length : L (mm)

MOLDING METARIAL: PA6
Contract material: Silicon

Class E/Category 6 standards compliant
Molded RJ45 connectors
Electrically compliant beyond 250 Mhz
Connector connection material; 1,27µm (50 µ-inc) gold plated over 2,54µm (100 µ-inc) Nickel

RoHS compliant 2002/95/EC

Number of Conductors 4 Pair UTP
Number of insulated conductors 8 twisted per
Cable jacket type, MATT PVC
RJ-45 connectors available IEC 60603-7-41 terminated

Temperature Range: -20°C~ + 60°C
IP: IP67

| Date | 01.12.2016 | Rev. | - | Revision Detail | | Rev.Dt. | | Rev.by | | Part No | WP-46FM |
|-------------|-------------|------------|--------------|-----------------|--|---------|--|--------|--|-------------|---------|
| Designed by | Yeşim AKSOY | Checked by | Fatih BOLACA | | | | | | | | |
| | | | | | | | | | | Drawing Nr. | - |
| | | | | | | | | | | Scale | NONE |
| | | | | | | | | | | Sheet No | 3/3 |



1

2

3

4

5

6

A4