



	INDICATION DIMENSIONS S.P.C DENOTES S.P.C DIMENSIONS
	INDICATION DIMENSIONS FONCTIONNELLES DENOTES FUNCTIONAL DIMENSIONS
QUANTITE PAR FEUILLE INDIVIDUELLE QUANTITY PER INDIVIDUAL SHEET	
	= 0 PLACE(S)
	= 2 PLACE(S)

**NOTES:**

- 1- CAHIER DE PRECONISATION: AS-98644-005  
APPLICATION SPECIFICATION: AS-98644-005
- 2- LE CAPOT S'ASSEMBLE AVEC LES PORTE-CLIPS EQUIPES SORTIE DROITE  
REFERENCE: 98650-XXXX OU SORTIE GAUCHE REFERENCE: 98650-XXXX  
THE WIRE CAP IS ASSEMBLED WITH THE ASSEMBLED FEMALE MODULE RIGHT WIRE OUTPUT  
PART NUMBER: 98650-XXXX OR LEFT WIRE OUTPUT PART NUMBER: 98650-XXXX

REF. MOLEX  
MOLEX PART NUMBER  
98655-1001

ECHELLE 1:1  
SCALE 1:1

EC NO. G2003-0369 DRWN: PDE 03/05/05 CHK: PGR 03/05/05 APPR: CBO 03/05/05	QUALITY SYMBOLS MAJOR = CRITICAL C	GENERAL TOLERANCES: (UNLESS SPECIFIED)		SCALE 2:1	DESIGN UNITS <input checked="" type="checkbox"/> mm <input type="checkbox"/> INCH	DIMENSIONS: <input type="checkbox"/> mm <input type="checkbox"/> INCH <input checked="" type="checkbox"/> mm ONLY	SHT REV REVISE ON CAD ONLY			
		4 PLACES ±0. ±.	3 PLACES ±0. ±.	2 PLACES ±0.10 ±.	1 PLACE ±0.15 ±.			DRAWN BY & DATE PGR 99/12/14	TITLE: CAPOT 48 VOIES CMC WIRE CAP CMC 48 WAY	
		ANGULAR: ± 1/2 °						CHECKED BY & DATE / /		MOLEX MOLEX INCORPORATED
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPROVED BY & DATE / /				CAD FILENAME S98655X3.DGN		